

# Bags & Can Liners



**For More Info Or To Order,  
See Pages 360-367**

Description	Receptacle Gallon Capacity	Compatible Liner Size
<b>Classics Open Top Receptacles</b>	25	30 x 36
	51	38 x 60, 39 x 48, 36 x 58, 36 x 60
<b>Slim Jim® Rectangular Waste Containers with Patent Pending Venting Channels</b>	23	30 x 36
<b>Slim Jim® Rectangular Waste Containers</b>	15.5	24 x 32
	23	30 x 36
<b>Untouchable® Round Waste Containers (21-gal. is Half Round)</b>	11	24 x 23, 24 x 24
	21	30 x 36
	22	30 x 36
	23	30 x 36
	35	33 x 39
<b>Untouchable® Square Waste Containers</b>	50	38 x 60, 39 x 48, 36 x 58, 36 x 60
<b>Deskside Plastic Wastebaskets</b>	3	17 x 17
	7	20 x 22, 24 x 24
	10	24 x 23, 24 x 24
	3.5	17 x 17
<b>Fire-Resistant Fiberglass Wastebaskets</b>	7	20 x 22, 24 x 24
	10	24 x 23, 24 x 24
<b>Marshal® Classic Containers</b>	15	24 x 32
<b>Fire-Safe Dome Top Receptacle</b>	25	30 x 36
<b>WasteMaster™ Nonmagnetic Stainless Steel Fire-Safe Receptacle</b>	16	24 x 32
<b>Silhouette Rectangular Open Top Receptacles</b>	13	24 x 32
	22.5	30 x 36
	16	24 x 32
<b>Silhouette Square Open Top Receptacles</b>	29	36 x 60, 30 x 37
<b>ECLIPSE™ Fire-Safe Steel Receptacles</b>	30	36 x 60, 30 x 37
<b>Side Opening Fire-Safe Steel Receptacle</b>	12	24 x 32
<b>Steel Step Can</b>	3.5	17 x 17
	12	24 x 32
<b>Defenders® Heavy-Duty Step Can for Infectious Waste</b>	24	30 x 36
	23	30 x 36
<b>Medical Waste Step-On Containers</b>	30	36 x 60, 30 x 37
	4.5	17 x 17, 17 x 18
	8	24 x 23, 24 x 24
<b>Fire-Safe Plastic Step-On Receptacles</b>	12	24 x 32
	18	30 x 36
	23	30 x 36
<b>Foot Pedal Rolltop Containers</b>	14.5	24 x 32

**For More Info on the Waste Receptacles See Pages 340-357**

**For More Info Or To Order,  
See Pages 360-367**

Description	Receptacle Gallon Capacity	Compatible Liner Size
<b>Slim Jim® Recycling Container with Venting Channels</b>	23	30 x 36
<b>Deskside Paper Recycling Containers</b>	4	17 x 17, 17 x 18
	7	20 x 22, 24 x 24
	10	24 x 23, 24 x 24
<b>Recycling Box</b>	14	24 x 32
	18	30 x 36
	15	24 x 32
<b>Slim Jim® Recycling Containers</b>	23	30 x 36
<b>Untouchable® Square Recycling Container</b>	23	30 x 36
	35	33 x 39
<b>Standard Square Recycling Container</b>	50	38 x 60, 39 x 48 36 x 58, 36 x 60
<b>2-Stream Glutton® Station</b>	46	40 x 46, 40 x 48
<b>Glutton® Waste &amp; Recycling Station (92-gal. total capacity, includes four 23-gal. Slim Jim® containers)</b>	23	30 x 36
<b>Silhouette Square Recycling Receptacles</b>	29	36 x 60, 30 x 37
<b>Brute® Recycling Rollout Container</b>	50	38 x 60, 39 x 48 36 x 58, 36 x 60
<b>Brute® Round Recycling Containers</b>	32	33 x 39, 33 x 40
	44	40 x 46, 40 x 48
<b>Brute® Utility Container with Venting Channels</b>	44	40 x 46, 40 x 48
	10	24 x 23, 24 x 24
	24	30 x 36
	32	33 x 39, 33 x 40
<b>Brute® Round Containers</b>	44	40 x 46, 40 x 48
	55	38 x 58, 38 x 60 39 x 48, 40 x 43 43 x 47, 43 x 48
<b>Mega Brute® Mobile Waste Collector (can liner retainer secures a 55-gal. liner)</b>	55	38 x 58, 38 x 60 39 x 48, 40 x 43 43 x 47, 43 x 48
<b>Brute® Square Container</b>	40	40 x 46, 40 x 48
<b>Brute® Rollout Container</b>	50	38 x 60, 39 x 48 36 x 58, 36 x 60
<b>Plaza™ Container</b>	50	38 x 60, 39 x 48 36 x 58, 36 x 60
<b>Ranger® Containers</b>	35	33 x 39
	45	40 x 46, 40 x 48 38 x 58, 38 x 60
<b>Glutton® Container</b>	56	39 x 48, 40 x 43 43 x 47, 43 x 48
	35	33 x 39
<b>Landmark Series™ Classic Containers</b>	50	36 x 58 36 x 60 38 x 60 39 x 48
<b>Aspen Outdoor Receptacles</b>	12	24 x 32
	24	30 x 36
	29	36 x 60, 30 x 37

Select the right plastic type for your application:

**Linear Low Density (LLD)**—Multipurpose can liners recommended for sharper objects and tougher transport conditions. Greater tear resistance compared to HD liners. Offers good puncture resistance and load capacity.

**High Density (HD)**—Much thinner than LLD liners, yet can hold the same or greater weight. Good tear resistance. Better puncture resistance and load capacity when compared to LLD liners.

#### GAUGE EQUIVALENTS

Static load (lifting strength) is the best way to choose bag strength. Below are the approximate gauge equivalents for static load.

Strength Grade	Linear Low-Density Mil Gauge	High-Density Micron Gauge
Light	.35-.44	5-9
Medium	.45-.57	10-12
Heavy	.58-.69	13-14
Extra-Heavy	.70-.89	15-17
XX-Heavy	.90-1.14	....
Super	1.15-1.39	....
Super-Heavy	1.40 & up	18-24