



Mops, Brooms & Brushes • Floor & Carpet Care



A

B



C



D



Charcoal



Castellan Red



Marlin Blue



Walnut

E

Unisan™

A. Spring Grip Handle

Spring action securely locks mop head in place. Rust-resistant, zinc-plated ¼" wire. 1½" dia. x 60" double-lacquered ramin wood handle will not warp. Fits most mop heads.

UNS 609	Each
---------	-------------

B. Liefplat Screw-In Handle

Metal-threaded connector is countersunk and attached to lacquered wood handle. For use with bolt-head style liefplat mop heads.

No.	Dia.	Overall Length	Each
UNS 834	1½"	60" Janitor	
UNS 833	1½"	54" Maid	

C. Echo Dust Mop

First mop head made from recycled PET plastic bottles. Contributes to reduced landfill waste, energy consumption and impact on greenhouse gases. Backing material is 100% recycled PET. High quality EarthSpun yarns manufactured from 30% post-consumer recycled PET. Non-heat set looped end style meets the most demanding dust mopping needs. (Also available in heat set cut end style). Standard slot pocket construction. 12 dust mops per case. ♻️

No.	Size (Inches)	Case
UNS ECHO245LGSP	5 x 24	
UNS ECHO365LGSP	5 x 36	

3M™

3M™ Easy Trap Duster System

Traps and holds up to 6 times more dust, sand and hair than other dusting systems, which can contribute to better indoor air quality of facilities. Packaging is 100% recyclable.

D. 3M™ Easy Trap Duster Cloth

Nonwoven, three-dimensional, two-sided sheet with coated fibers. Use for hand dusting or with 3M™ Easy Trap Holders (MCO 55936, MCO 55937, MCO 59247, sold separately) for use on floors and hard-to-reach areas. 250 perforated sheets per roll.

Easy Trap Duster Standard—5 x 6 sheets. 2 rolls per case.

MCO 55655	Case
-----------	-------------

Easy Trap Duster Large—8 x 6 sheets. One roll per case.

MCO 55654	Case
-----------	-------------

Crown Mats and Matting

E. Rely-On™ Olefin Indoor Wiper Mat

Economical continuous filament Olefin on standard vinyl is ideal for light to medium applications. Vinyl backing made with natural organic resin blend. Contributes to LEED Certification. Plush surface dries moisture from shoes—holds up to ¾ gallons of water per square yard. Heather-colored pattern complements any décor. Manufacturer's limited one-year warranty. Overall thickness ¾".

No.	Color	Size	Shpg. Wt.	Each
CRO GS23 CHA	Charcoal	24 x 36	4-lbs.	
CRO GS23 CRE	Castellan Red	24 x 36	4-lbs.	
CRO GS23 MBL	Marlin Blue	24 x 36	4-lbs.	
CRO GS23 WAL	Walnut	24 x 36	4-lbs.	
CRO GS34 CHA	Charcoal	36 x 48	7-lbs.	
CRO GS34 CRE	Castellan Red	36 x 48	7-lbs.	
CRO GS34 MBL	Marlin Blue	36 x 48	7-lbs.	
CRO GS34 WAL	Walnut	36 x 48	7-lbs.	
CRO GS35 CHA	Charcoal	36 x 60	10-lbs.	
CRO GS35 CRE	Castellan Red	36 x 60	10-lbs.	
CRO GS35 MBL	Marlin Blue	36 x 60	10-lbs.	
CRO GS35 WAL	Walnut	36 x 60	10-lbs.	
CRO GS310 CHA	Charcoal	36 x 120	17-lbs.	
CRO GS310 CRE	Castellan Red	36 x 120	17-lbs.	
CRO GS310 MBL	Marlin Blue	36 x 120	17-lbs.	
CRO GS310 WAL	Walnut	36 x 120	17-lbs.	
CRO GS46 CHA	Charcoal	48 x 72	15-lbs.	
CRO GS46 CRE	Castellan Red	48 x 72	15-lbs.	
CRO GS46 MBL	Marlin Blue	48 x 72	15-lbs.	
CRO GS46 WAL	Walnut	48 x 72	15-lbs.	

Crown Mats and Matting


A. Needle-Rib™ Indoor Wiper/Scraper Mat

Rugged grooves and ribbed needle punch polypropylene fibers help remove dirt and moisture from shoes. Wear-resistant, colorfast design for light to medium traffic areas. Beveled edges help reduce the risk of tripping, while the vinyl backing helps keep mat from slipping. Vinyl backing made with natural organic resin blend. Contributes to LEED Certification. Manufacturer's limited one-year warranty. Overall thickness 5/16".

No.	Color	Size	Shpg. Wt.	Each
CRO NR35 BRO	Brown	36 x 60	11-lbs.	
CRO NR35 CHA	Charcoal	36 x 60	11-lbs.	
CRO NR46 BRO	Brown	48 x 72	17-lbs.	
CRO NR46 CHA	Charcoal	48 x 72	17-lbs.	



Brown




Charcoal

A

B. Tire-Track™ Indoor Wiper/Scraper Mat

Attractive, high-performance mat perfect for any location accommodating large numbers of visitors. Features heavy-duty top surface with "tire track" pattern. Heavy-duty, slip-resistant vinyl backing made with natural organic resin blend. Lower layer holds more than one gallon of fluid per square yard for excellent absorbency. Wear-, fade- and crush-resistant carpet for long life. Contributes to LEED Certification. Manufacturer's limited three-year warranty. Overall thickness 3/8".

No.	Color	Size	Shpg. Wt.	Each
CRO TE35 ANT	Anthracite	36 x 60	17-lbs.	
CRO TE35 GRA	Gray	36 x 60	17-lbs.	
CRO TE46 ANT	Anthracite	48 x 72	22-lbs.	
CRO TE46 GRA	Gray	48 x 72	22-lbs.	



Gray



B

C. Super-Soaker™ Indoor Wiper/Scraper Mat

Features rubber reinforced square-block pattern for heavy traffic areas. Raised rubber edging retains dirt and moisture so it's not tracked into your home or office. Colorfast polypropylene carpet dries quickly and resists crushing. No-slip vinyl backing for a secure grip. Contributes to LEED Certification. Manufacturer's limited three-year warranty. Overall thickness 3/8".

No.	Color	Size	Shpg. Wt.	Each
CRO SSR035 CHA	Charcoal	34 x 58	12-lbs.	
CRO SSR035 MGR	Medium Gray	34 x 58	12-lbs.	
CRO SSR046 CHA	Charcoal	45 x 67	17-lbs.	
CRO SSR046 MGR	Medium Gray	45 x 67	17-lbs.	



Medium Gray



Charcoal

C

D. Industrial Deck Plate Anti-Fatigue Mat

Industrial-grade PVC foam backing fused to vinyl top surface offers comfort and relief. Ideal for use in heavy-duty environments. Durable, slip-resistant surface with diamond pattern texture. Easy-to-clean; resists most common fluids and chemicals. Black with high-visibility yellow stripe border. Made with 28% recycled content. Manufacturer's limited three-year warranty. Overall thickness 5/16". 36" x 60". Shpg. wt. 22.5-lbs. ♻️








No.	Each
CRO CD35 BYB	Each



D

Industrial grade PVC foam backing offers comfort and relief.

Floor & Carpet Care



3M

- Coiled vinyl loops scrape, trap and hide dirt and moisture from shoes; minimizes tracking debris into building
- Easy-to-clean crush-resistant vinyl; just hose or shake clean

Studies have shown that 2.5-6 times more dirt and soil is removed by 3M™ Dirt Stop™ and Nomad™ Scraper Matting than competitive matting. Less dirt and soil tracked into facilities means reduced time, effort and energy required to keep floors clean. Fewer cleaning chemicals are required to maintain floors, which translate to fewer chemicals entering the environment, fewer volatile organic compounds (VOCs) and other indoor contaminants being released inside a facility, helping to improve indoor air quality.

A. 3M™ Dirt Stop™

Handles light foot traffic—up to 50,000 people per year. Vinyl backing retains debris; prevents water seepage. Manufacturer's limited one-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 29627	Gray	22 x 34	3.55-lbs.	
MCO 29625	Brown	22 x 34	3.55-lbs.	
MCO 34838	Gray	36 x 60	10-lbs.	
MCO 34839	Brown	36 x 60	10-lbs.	
MCO 34843	Gray	48 x 72	16-lbs.	
MCO 34840	Brown	48 x 72	16-lbs.	

B. 3M™ Nomad™ 6050

Handles medium foot traffic—up to 400,000 people per year. Vinyl backing retains debris; prevents water seepage. Manufacturer's limited one-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 17780	Black	36 x 60	10.5-lbs.	
MCO 26445	Gray	36 x 60	10.5-lbs.	
MCO 26448	Brown	36 x 60	10.5-lbs.	
MCO 17790	Black	48 x 72	16.58-lbs.	
MCO 26452	Gray	48 x 72	16.58-lbs.	
MCO 26455	Brown	48 x 72	16.58-lbs.	

C. 3M™ Nomad™ 8100

Handles heavy foot traffic—up to 1,000,000 people per year. Designed for exterior facility entrances or recessed wells. "Unbacked" construction lets dirt fall through mat, trapping it at bottom for easy cleanup—just hose grime away! Grease- and oil-resistant. Manufacturer's limited two-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 26503	Gray	36 x 60	18.77-lbs.	
MCO 29466	Black	36 x 60	18.77-lbs.	
MCO 26515	Gray	48 x 72	29.5-lbs.	
MCO 29468	Black	48 x 72	29.5-lbs.	

D. 3M™ Nomad™ Indoor Scraper Mat 6250

Ideal for indoor foyer entrances or other areas where liquid absorption is essential. Open "Z" design allows dirt and moisture to flow through and become trapped in the vinyl backing. Backing reduces creeping and increases comfort. Durable, low-profile, skid-resistant surface lets foot and wheel traffic move easily. Beveled edges help prevent tripping. Easy and inexpensive to maintain—just shake, vacuum or rinse clean. Studies have shown that 2.5-6 times more dirt and soil is removed by 3M™ Nomad™ Scraper Matting than competitive matting. Less dirt and soil tracked into facilities means reduced time, effort and energy required to keep floors clean. Fewer cleaning chemicals are required to maintain floors, which translate to fewer chemicals entering the environment, fewer volatile organic compounds (VOCs) and other indoor contaminants being released inside a facility, helping to improve indoor air quality.

No.	Color	Size	Shpg. Wt.	Each
MCO 20223	Brown	36 x 60	14-lbs.	
MCO 20234	Gray	36 x 60	14-lbs.	
MCO 20226	Brown	48 x 72	23.6-lbs.	
MCO 20237	Gray	48 x 72	23.6-lbs.	

3M

3M™ NOMAD™ ENTRANCE MATS

- Dual-fiber construction for exceptional dirt and water removal
- Fibers resist staining and fading; mats look new longer
- Slip-resistant vinyl backing will not stain floor

Large, crush-resistant polypropylene fibers scrape off loose dirt not removed by outdoor scraper matting; tough, looped nylon fibers wick away water. Pattern designs hide unsightly soil between cleanings. Vacuum or use extraction method to clean. Studies have shown that 2.5-6 times more dirt and soil is removed by 3M™ Nomad™ Scraper Matting than competitive matting. Less dirt and soil tracked into facilities means reduced time, effort and energy required to keep floors clean. Fewer cleaning chemicals are required to maintain floors, which translate to fewer chemicals entering the environment, fewer volatile organic compounds (VOCs) and other indoor contaminants being released inside a facility, helping to improve indoor air quality.

A. Nomad™ 5000

For light to medium traffic—up to 100,000 people per year. Manufacturer's limited one-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 59229	Black-Gray	36 x 60	10.5-lbs.	
MCO 59222	Black-Gray	48 x 72	16.2-lbs.	

B. Nomad™ 6500

For medium foot traffic—up to 400,000 people per year. Manufacturer's limited one-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 13514	Slate	36 x 60	13.2-lbs.	
MCO 13535	Brown	36 x 60	13.2-lbs.	
MCO 26337	Ebony	36 x 60	13.2-lbs.	
MCO 13528	Slate	48 x 72	21.2-lbs.	
MCO 13534	Brown	48 x 72	21.2-lbs.	
MCO 26338	Ebony	48 x 72	21.2-lbs.	

C. Nomad™ 8850

Handles heavy foot traffic—up to 1,000,000 people per year. Low profile allows foot and wheel traffic to traverse easily. Manufacturer's limited two-year warranty.

No.	Color	Size	Shpg. Wt.	Each
MCO 20544	Brown	36 x 60	13.2-lbs.	
MCO 20559	Slate	36 x 60	13.2-lbs.	
MCO 20583	Ebony	36 x 60	13.2-lbs.	
MCO 20545	Brown	48 x 72	21.1-lbs.	
MCO 20560	Slate	48 x 72	21.1-lbs.	
MCO 20584	Ebony	48 x 72	21.1-lbs.	

Crown Mats and Matting

D. Crown-Tred™ Outdoor/Indoor Scraper Mat




Excellent anti-skid surface. Ideal for heavy traffic areas. Gripper backing reduces mat movement. Durable rubber cleats withstand demanding outdoor environment with little maintenance; easy to clean. Contributes to LEED Certification. Manufacturer's limited one-year warranty. Overall thickness ¼". Black.

No.	Size	Shpg. Wt.	Each
CRO TD35 BLA	34½ x 58	20-lbs.	
CRO TD46 BLA	44½ x 67¾	24-lbs.	

E. Finger-Tip® Outdoor/Indoor Scraper Mat

Economical mat works great for medium traffic. Effectively scrapes dirt and moisture from shoes. Beveled edges reduce tripping hazard. Molded rubber fingertip mat is easy to clean and stays looking new. Contains 49.5% recycled content. Contributes to LEED Certification. Manufacturer's limited one-year warranty. Overall thickness ½". Black. ♻️

No.	Size	Shpg. Wt.	Each
CRO FTS432BK	24 x 32	8-lbs.	
CRO FTS672 BLA	36 x 72	27-lbs.	



F. Safewalk-Light™ Anti-Fatigue Drainage Mats

Lightweight drainage mat for medium- to heavy-duty areas. Beveled edges provide a low profile for increased safety. Superior tracking in wet or dry environments. Manufacturer's limited one-year warranty. Overall thickness ½". ♻️

No.	Size	Shpg. Wt.	Each
General-Purpose —Rubber for use in wet areas. Contains 54% recycled content. Black.			
CRO WSCT35 BLA	36 x 60	27-lbs.	
Grease-Resistant —Rubber/nitrile blend for use in wet/oily areas. Contains 21% recycled content. Terra Cotta.			
CRO WSCT35 TCO	36 x 60	29-lbs.	