

## Floor & Carpet Care



**A**  
Sealed HEPA filtration. Meets LEED requirements.

**B**  
Sealed HEPA filtration bagless upright. Meets LEED requirements.

**C**  
Lightweight commercial upright with allergen filtration.

**D**  
Two-motor sealed HEPA upright. Meets LEED requirements.

**E**  
Two-motor sealed HEPA upright with tools. Meets LEED requirements.

**F**  
Fully enclosed system allows best filtration and dirt containment.

**G**  
Multi-speed power selection with quiet HUSH mode.

**H**  
Triple layer allergen filtration; dirt trapped in sealed chamber for convenient disposal.



(A, B, D-H)



**A. Sanitaire® Quiet Clean Upright with Sealed 2 HEPA Filtration**



**B. Sanitaire® Quiet Clean Bagless Upright with Sealed HEPA Filtration**



**C. Sanitaire® DuraLite™ Commercial Upright**



**D. Sanitaire® Quiet Clean Two Motor Commercial Upright with Sealed HEPA Filtration**



**E. Sanitaire® Quiet Clean Two Motor Commercial Upright with Sealed HEPA Filtration**



**F. Commercial Allergen Filtration Upright**



**G. HUSH Vac Twin Chamber™ Bagless with HEPA Filtration**



**H. WindTunnel™ Commercial Upright**

Model No.	SC5713	SC5845	SC9050	SC9150	SC9180	C1414-900	C1660-900	C1703-900
No.	EUR 5713	EUR 5845	EUR SC9050	EUR SC9150	EUR 9180	HOO 1414	HOO 1660	HOO 1703
Each								
Motor	10 amp	10 amp	5 amp	11.5 amp	11.5 amp	7.7 amp	12 amp	12 amp
Cleaning Path	13"	15"	12"	13"	13"	12"	15"	13"
Carpet Height Adjustment	Seven-Position	Seven-Position	Automatic	Four-Position	Four-Position	Four-Position	Three-Position	Multiple-Position
On-board Tools	Yes	Yes	Automatic	....	Yes	Yes	Yes	Yes
Headlight	....	....	....	....	....	....	....	Yes
Furniture Guard	Yes	Yes	Yes, oversized	Yes, oversized	Yes	Yes	Yes	Yes
Filtration System	Washable Sealed HEPA*	Washable Sealed HEPA*	Allergen Filtration	Washable Sealed HEPA**	Washable Sealed HEPA**	Triple-Layer Allergen	Teflon® Coated HEPA	Triple-Layer Allergen
Unit Wt.	17-lbs.	18-lbs.	10.6-lbs.***	16.6-lbs.***	20-lbs.***	17-lbs.	16.7-lbs.	15.2-lbs.
Cord Length	40-ft.	40-ft.	30-ft. (detachable)	50-ft. (detachable)	50-ft. (detachable)	35-ft.	35-ft.	35-ft.
UL Approved (Commercial Use)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OSHA Compliant	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shpg. Wt.	22.7-lbs.	24-lbs.	14-lbs.	25.4-lbs.	28.8-lbs.	19-lbs.	21-lbs.	23-lbs.
Manufacturer's Warranty	Two-Year Parts/ Labor Commercial	Two-Year Parts/ Labor Commercial	Two-Year Parts and Labor Commercial Use	Two-Year Parts/Labor, Commercial Use	Two-Year Parts/Labor, Commercial Use	One-Year Commercial	One-Year Parts/ Labor Commercial	One-Year Commercial
Bag or Dirt Cup	EUR 61820-6 (sold separately)	....	EUR 63881-10 (sold separately)	EUR 63262-10 (sold separately)	EUR 63262-10 (sold separately)	HOO 4010100A (sold separately)	....	Two-Year Motor 3-Layer Cloth Bag (incl.)

\*Traps 100% of dust mites, ragweed, pollen; includes stainless-steel pre-filter screen and washable final filter captures 99.97% of all particles down to 0.3 microns

\*\* Washable filter captures 99.97% of all particles down to 0.3 microns

\*\*\* Reflects weight without detachable cord

Washable HEPA filter included with **A & B** reduces replacement costs.



Floor & Carpet Care



A, B



C-F

**Rubbermaid Commercial Products**  
**A. 16" Traditional Commercial Upright**    **B. 12" Traditional Commercial Upright**    **C. 15" Manual Height Upright**    **D. 12" Manual Height Upright**    **E. 15" Dual Motor Power Height Upright**    **F. 12" Dual Motor Power Height Upright**

<b>Model No.</b>	CV16	CV12	MH15	MH12	PH15	PH12
<b>No.</b>	RCP 9VCV16	RCP 9VCV12	RCP 9VMH15	RCP 9VMH12	RCP 9VPH15	RCP 9VPH12
<b>Each</b>						
<b>Motor</b>	7 amp	7 amp	10 amp	10 amp	11 amp	11 amp
<b>Cleaning Path</b>	16"	12"	15"	12"	15"	12"
<b>Carpet Height Adjustment</b>	Six-Position	Six-Position	Four-Position	Four-Position	Automatic	Automatic
<b>On-board Tools</b>	....	....	Yes	Yes	Yes	Yes
<b>Headlight</b>	....	....	....	....	....	....
<b>Furniture Guard</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Filtration System</b>	Standard Filter	Standard Filter	Standard Filter*	Standard Filter*	Standard Filter*	Standard Filter*
<b>Unit Wt.</b>	18-lbs.	17.2-lbs.	21-lbs.	20-lbs.	23.5-lbs.	23-lbs.
<b>Cord Length</b>	50-ft.	50-ft.	40-ft.	40-ft.	40-ft.	40-ft.
<b>Decibel Level</b>	76.8 dBa	75.9 dBa	68.2 dBa	67.4 dBa	67.7 dBa	67.3 dBa
<b>UL Approved (Commercial Use)</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>OSHA Compliant</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Shpg. Wt.</b>	20-lbs.	18.5-lbs.	25-lbs.	24-lbs.	28-lbs.	27-lbs.
<b>Manufacturer's Warranty</b>	One-Year	One-Year	Two-Year	Two-Year	Two-Year	Two-Year
<b>Bags</b>	Paper Bag RCP 9VCVPB12 (2 incl.)	Paper Bag RCP 9VCVPB12 (2 incl.)	Paper Bag RCP 9VMHBA12 (3 incl.)	Paper Bag RCP 9VMHBA12 (3 incl.)	Paper Bag RCP 9VMHBA12 (3 incl.)	Paper Bag RCP MHBA12 (3 incl.)



**G. Ultra Light Vacuum**



**Allergen Filtration Bag System.**




**H. Sanitaire® Commercial Upright with Allergen Filtration**



**Sanitaire® Model SC785 weighs 14-lbs. and stores easily—fold-down handle lowers height to only 28½"!**



**I. Sanitaire® Commercial Upright with Allergen Filtration**



**J. Sanitaire® Lightweight Two-Motor Commercial Upright**



**K. Signature 12" Commercial Lightweight Upright**



**NEW**

**L. Lightweight Upright**

<b>Model No.</b>	UL12	SC888	SC688	SC785	C1320	C1404
<b>No.</b>	RCP 9VUL12	EUR 888	EUR 688	EUR 785	HOO C1320	HOO 1404
<b>Each</b>						
<b>Motor</b>	4.0 amp	7.0 amp	7.0 amp	6.5 amp	4.0 amp	7.1 amp
<b>Cleaning Path</b>	12"	12"	12"	12"	12"	12"
<b>Carpet Height Adjustment</b>	Automatic	Six-Position	Six-Position	Automatic	Automatic	Four-Position
<b>On-board Tools</b>	....	....	....	Yes	....	....
<b>Headlight</b>	....	....	....	....	....	....
<b>Furniture Guard</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Filtration System</b>	Standard Filtration	Allergen Filtration**	Allergen Filtration**	Allergen Filtration***	HEPA Filtration	Triple-Layer Allergen
<b>Unit Wt.</b>	9.7-lbs.†	18.4-lbs.	17-lbs.	14-lbs.	9.4-lbs.	11-lbs.
<b>Cord Length</b>	40-ft.	50-ft.	50-ft.	20-ft.	40-ft. 3-Wire Quick Disconnect	31-ft.
<b>Decibel Level</b>	....	70.5 dBa	....	....	....	....
<b>UL Approved (Commercial Use)</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>OSHA Compliant</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Shpg. Wt.</b>	15.5-lbs.	21.2-lbs.	19.8-lbs.	22-lbs.	13.5-lbs.	13.3-lbs.
<b>Manufacturer's Warranty</b>	One-Year Parts/Labor Commercial	Two-Year Parts/Labor Commercial	Two-Year Parts/Labor Commercial	Two-Year Parts/Labor Commercial	Two-Year Limited Parts/Labor Commercial	One-Year Parts/Labor Commercial
<b>Bags</b>	Easy Empty Paper Bag RCP 9VULPB12	EUR 63213-10 (one incl.)	EUR 63213-10 (one incl.)	EUR 61125-12 (one incl.)	HOO 4010103B (sold separately)	HOO 4010100A (sold separately)

\*Optional HEPA filtration system sold separately

\*\* With ARM & HAMMER odor elimination

\*\*\* Retains up to 99.9% of pollens and dust

† 12.8 weight with cord

See page 3 for symbol legend.  
Call for current pricing.

For more Floor & Carpet Care products see pages 272-303

Floor & Carpet Care



**NEW**



**Rubbermaid® Commercial Products**  
**A. DVAC 1-Pass Cleaning Solution™**

Combines three cleaning passes—dusting, vacuuming and waste collection—into one. No tools required to assemble; simply twist your 44-gal. BRUTE® container (sold separately) onto the dolly integrated vacuum base. Ergonomic arched handle makes maneuvering easy. Bag full indicator lets you know when it's time to replace the bag. CRI Green Label certified. Optional HEPA bags and filters for increased IAQ (indoor air quality).

RCP 9VDVFN4400 **Each**

**B. Commercial Vacuum Backpack**

Low noise and lightweight. Features easy access on/off switch, 6-qt. capacity, and four-stage filtration. Attachments include 5-ft. flexible hose, crevice tool, floor tool, two aluminum wands, dusting brush and upholstery tool. Unique, on-board wand storage. Ergonomically designed harness. Weighs 12-lbs. without tools. 50-ft. cord. Uses disposable bag RCP 9VBPPB06 (sold separately). UL Approved for commercial use. CRI Green Label™ Certified. 66 dBA. Manufacturer's one-year warranty. Shpg. wt. 21.3-lbs.

RCP 9VBPO6 **Each**

**Hoover®**  
**C. PortaPower® Lightweight Vacuum Cleaner**

Compact, portable vacuum with shoulder strap is easy to carry. 7.4 amp motor. Fits easily on stair tread for cleaning convenience. Tool set includes crevice tool, wall/floor brush, dusting brush, furniture nozzle, rug/floor nozzle and two chrome wands for multiple cleaning tasks. Uses reusable three-layer commercial cloth bag (incl.). CRI Green Label™ certified. Optional paper bags sold separately. 33-ft. power cord. Manufacturer's one-year warranty for commercial use. Carry bag available (sold separately). Shpg. wt. 8.3-lbs.

HOO CH30000 **Each**

**D. Shoulder Vac™ Commercial Backpack**

Powerful 1,000 watt motor. Bagless design with clear dome lid and 6.4-qt. capacity and HEPA type filtration. Comfortable ergonomic back brace harness includes sternum clips. Hypercone technology maintains maximum cleaning efficiency. Includes hose and eight-piece 1.5" dia. tools for every cleaning task. Uses optional filtration liner bags HOO KE2103-000 (sold separately). 50-ft. cord. UL Listed for commercial use. CRI Green Label™ Certified. Manufacturer's two-year warranty for commercial use. Shpg. wt. 22-lbs.

HOO C2401 **Each**

**Sanitaire® by Electrolux**

**E. Sanitaire® Quiet Clean Commercial Backpack**

Powerful 11.5 amp, 120 CFM motor and superior and Quiet Clean operation. Lightweight—only 11.5-lbs. Features HEPA filtration and 1.5-gal. dirt capacity. Attachments include metal wands, carpet nozzle, deluxe floor and wall brush, dusting brush, crevice tool, deluxe stretch hose and upholstery tool. Adjustable back support and harness. 50-ft. detachable cord. Uses disposable bag EUR 62370 (sold separately). Manufacturer's two-year parts/labor warranty for commercial use. UL Approved for commercial use. Meets LEED requirements. CRI Green Label™ Certified. Shpg. wt. 25.6-lbs.

EUR 412 **Each**