

Waste Receptacles



A



B



C

NEW



D



E



F



G



H



Wastebasket and recycling side bin each sold separately.

Rubbermaid® Commercial Products

A. Recycling Box

Stackable design with built-in handles for easy lifting and carrying. Heavy-duty LLDPE construction withstands harsh weather conditions without cracking or bowing. Contains recycled material. Meets or exceeds EPA guidelines. Blue. ♻️

No.	Capacity	Size	Each
RCP 5714-73 BLU	14-gal.	16w x 20.75l x 14.75h	
RCP 5718-73 BLU	18-gal.	16w x 25.75l x 14.75h	

B. Slim Jim® Recycling Containers

Able to withstand extreme weather and handling for both indoor and outdoor use. Cost-effective recycling solution for heavy traffic areas. Serves as a collection site for multiple work station or large office areas. Contains recycled material. Meets EPA comprehensive guidelines. Blue. ♻️

No.	Capacity	Size	Each
RCP 3540-75 BLU	23-gal.	20w x 11d x 30h	
RCP 3541-73 BLU	15½-gal.	23½w x 11d x 24½h	

Square Recycling Containers

High-capacity collection containers for high-volume areas. Ideal for recycling paper or cans/bottles. Contains recycled material. Meets EPA comprehensive guidelines. Blue. ♻️

No.	Capacity	Size	Each
-----	----------	------	------

C. Untouchable® Square Container—Features a can liner cinch to hold bag in place and eliminate the need for knot tying. Uses lids RCP 2690 BLU and RCP 2691 BLU.

RCP 3569-73 BLU	23-gal.	16½w x 15½d x 31h	
-----------------	---------	-------------------	--

D. Standard Square Container—Uses lid RCP 2797 BLU.

RCP 3958-73 BLU	35-gal.	19½ sq. x 27½h	
◆RCP 3959-73 BLU	50-gal.	19½ sq. x 34½h	

E. 2-Stream Glutton® Station

Corrosion resistant recycling receptacle made out of post-consumer recycled content. Meets or exceeds EPA guidelines. Withstands impacts while reducing the risk of scratched floors and carpet snags. Smooth rounded surfaces and coated labels allow for easy cleaning. Visual queues to minimize waste stream contamination. 3 possible restrictive opening shapes. Color coded symbol and word labels. 46-gallon capacity. 26.8 L x 24 W x 35.3 H. Blue. ♻️

RCP 256T-73 BLU			Each
-----------------	--	--	------

F. Glutton® Waste and Recycling Station

Provides a centralized collection solution for consumer waste and recycling sortation needs. 92-gallon combined capacity with segmentation for up to four separate 23-gallon waste containers. Restrictive-opening tops with iconic and word labels guide sortation and minimize contamination. Unifying station lid frame has center hinge for easy emptying without removing entire lid. Kit includes two Glutton® containers, four Slim Jim® containers, one station lid frame, eight restrictive-opening tops (four circles, two slots, one square, one triangle) and one label pack of iconic and word labels in three languages (English, French, Spanish). Corrosion- and impact-resistant plastic construction. ADA compliant. Contains recycled material. Meets or exceeds EPA comprehensive guidelines. Blue. Assembled size: 24w x 53d x 35½h. Shpg. wt. 66.4-lbs. ♻️

RCP 256R-73 BLU			Each
-----------------	--	--	------

G. Deskside Paper Recycling Containers

An easy and effective way to recycle paper when placed beside traditional wastebaskets. Contains recycled material. Meets EPA comprehensive guidelines. Blue. ♻️

No.	Capacity	Size	Each
RCP 2955-73 BLU	13¼-qt.	11½w x 8¼d x 12½h	
RCP 2956-73 BLU	28¼-qt.	14½w x 10¼d x 15h	
RCP 2957-73 BLU	41¼-qt.	11w x 15¼d x 19½h	

H. Wastebasket Recycling Side Bin

Segregate trash and recycling at each desk without going to a central recycling location. Contains post-consumer recycled content that meets or exceeds EPA guidelines. Helps to earn LEED points and contributes to sustainability. Blue. 10.6 L x 7.25 W x 11.5 H. ♻️

RCP 2950-73 BLU			Each
-----------------	--	--	------

Rubbermaid® Commercial Products
RECYCLING CONTAINERS

• Easy-to-maneuver equipment can also serve as central collection containers or shipping containers to reduce handling. Contains recycled plastic. Meets EPA comprehensive guidelines. Blue.

A. Brute® Recycling Rollout Container

50-gallon container with 8" nonmarring wheels and attached lid. 23.4 sq. x 37.1h. Shpg. wt. 23-lbs.

◆RCP 9W27-73 BLU	Each
------------------	------

B. Brute® Round Recycling Containers

Contains recycled material. Meets EPA comprehensive guidelines. ♻️

No.	Capacity	Size	Each
◆RCP 2632-73 BLU	32-Gallon	22 dia. x 27¼h	
◆RCP 2643-73 BLU	44-Gallon	24 dia. x 31½h	

C. Bulk Recycling Tilt Truck

Contains recycled material. Meets EPA comprehensive guidelines. Standard duty. ½ cubic yard, 850-lb. capacity. 28w x 60½d x 38½h. Shpg. wt. 77-lbs. ♻️

◆RCP 1305-73 BLU	Each
------------------	------

D. Bulk Recycling Cube Truck

Contains recycled material. Meets EPA comprehensive guidelines. 16 cubic feet, 500-lb. capacity. 31w x 43¼d x 37h. Shpg. wt. 51-lbs. ♻️

◆RCP 4616-73 BLU	Each
------------------	------

ASPEN OUTDOOR RECEPTACLES

- ADA Compliant
- Meets or exceeds EPA and/or LEED guidelines
- Made from 30% recycled steel, 100% recyclable

Vandal-resistant and fire-safe, heavy-gauge galvanized steel with decorative stone panels (panels included). Powder coated finish for durability and years of trouble-free service. Receptacles feature leakproof, removable rigid plastic liners. Manufacturer's limited one-year warranty. Ships fully assembled.

E. 29-Gal. Litter Receptacle

Four 17w x 5h disposal openings. Hinged top swings open to 90° angle for easy maintenance. Leg levelers included. Brown. 21 sq. x 40h. Shpg. wt. 102-lbs. ♻️

◆RCP R36HT-201PL	Each
------------------	------

F. Extra-Large Sand Urn/24-Gal. Litter Receptacle

Removable 18" sq. steel sand urn top; four 9w x 5h disposal openings. Brown. 18 sq. x 32h. Shpg. wt. 70-lbs. ♻️

RCP R18SU-201PL	Each
-----------------	------

G. Sand Urn/12-Gal. Litter Receptacle

Removable 13½" sq. steel sand urn top; four 9w x 5h disposal openings. Brown. 13½ sq. x 32h. Shpg. wt. 47-lbs. ♻️

RCP R12SU-201PL	Each
-----------------	------

H. Classics Open Top Receptacles

- Minimum 30% recycled steel, 100% recyclable
- ADA Compliant
- Meets or exceeds EPA and/or LEED guidelines

Perforated design with wide center band for display a custom logo or decal. Durable, heavy-gauge, hot dipped, galvanized steel construction is fire-safe. Uni-Coat® powder coated finish offers increased weather resistance. Cable-secured top with drop-in disposal lifts off for easy access to inner liner. Dual retainer bands secure poly bags neatly inside receptacle (bags sold separately). Adjustable, non-marking leg levelers raise receptacle and provide stability. Includes white, leakproof, rigid plastic liner. Black. ♻️

No.	Size	Shpg. Wt.	Each
-----	------	-----------	------

25-gal. Capacity Receptacle			
RCP S3ETBKPL	18" dia. x 35½h	46-lbs.	

51-gal. Capacity Receptacle			
RCP S55ETBK	25" dia. x 35½h	70-lbs.	



Product shown with optional decals sold separately on page 341.

Waste Receptacles



A



Nonmagnetic—will not interfere with technical equipment. Complies with ADA mandated reach range.

B



C



D



E



F



G



H

Fire-Safe Half-Round Container

Durable fire-safe steel construction. Wall-hugging design is perfect where aesthetics and space are important. Large 15 x 5 vinyl-trimmed opening. Lift-off body makes emptying easy. Noncorrosive base ring prevents scratching of floors. Includes leakproof rigid plastic liner. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. 9-gal. capacity. 18w x 9d x 32h. Shpg. wt. 25-lbs. ♻️

No.	Finish	Each
G. RCP S08-10BPL	Black/Brass	
H. RCP S08SSSPL	Stainless Steel Brass	

Rubbermaid® Commercial Products

A. Fire-Safe Dome Top Receptacle

Self-extinguishing “silent firefighter” has self-closing stainless steel door and galvanized steel inner liner for maximum safety and odor control. Recessed side handles for easy emptying. Nonmagnetic steel base with noncorrosive base ring to protect floors. Durable powder coated finish for indoor/outdoor use. ADA/OSHA Compliant. FM Approved, CSFM Listed and UL Listed. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. 15-gal. capacity. 15 dia. x 36h. White. Shpg. wt. 27-lbs. ♻️

RCP R1536EGLW	Each
---------------	------

B. WasteMaster™ Nonmagnetic Stainless Steel Fire-Safe Receptacle

Will not interfere with technical equipment. UL self-extinguishing; FM Approved. Meets OSHA requirements and ADA mandated reach range. Self-closing dual entry doors control odors. Top opens 90° for emptying ease. Nonskid legs. Rigid plastic liner; poly bag retainer bands. 30% recycled steel, 100% recyclable. 24-gallon capacity with 16-gallon liner. 14 sq. x 35½h. Shpg. wt. 36-lbs. ♻️

RCP T1424SSPL	Each
---------------	------

C. Silhouette Rectangular Open Top Receptacles

Space-saving rectangular design. Fire-safe steel construction. Piano hinge top facilitates easy emptying. Folding retainer bands neatly secure poly bags. Includes leakproof rigid plastic liner. Stainless steel leg levelers provide stability on uneven surfaces. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. ♻️

No.	Size	Shpg. Wt.	Each
-----	------	-----------	------

13-gal. Capacity Receptacle—12 x 5 drop-in disposal opening.

RCP SR14EPLSM	19½w x 10d x 30h	38-lbs.
---------------	------------------	---------

22½-gal. Capacity Receptacle—15 x 5 drop-in disposal opening.

RCP SR18EPLSM	24w x 12½d x 30h	51-lbs.
---------------	------------------	---------

D. Silhouette Half Round Open Top Receptacle

Wall-hugging design is ideal where aesthetics and space are important. Fire-safe steel construction. 7" dia. vinyl-trimmed, drop-in disposal opening. Lift-off body facilitates easy emptying. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. 12-gal. capacity. 18w x 9d x 32h. Shpg. wt. 27-lbs. ♻️

RCP SH12EPLSM	Each
---------------	------

E. Silhouette Square Open Top Receptacles

Fire-safe steel construction. Piano hinge top facilitates easy emptying. Folding retainer bands neatly secure poly bags. Includes leakproof rigid plastic liner. Stainless steel leg levelers provide stability on uneven surfaces. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. ♻️

No.	Size	Shpg. Wt.	Each
-----	------	-----------	------

16-gal. Capacity Receptacle—8½" dia. drop-in disposal opening.

RCP SC14EPLSM	14¼ sq. x 25h	35-lbs.
---------------	---------------	---------

29-gal. Capacity Receptacle—8½" dia. drop-in disposal opening.

RCP SC18EPLSM	18¼ sq. x 30h	46-lbs.
---------------	---------------	---------

F. ECLIPSE™ Fire-Safe Steel Receptacles

Modern rounded design. Durable, heavy-gauge steel construction. Curved top deters accumulation of debris around 9½ x 11½ drop-in disposal opening. Includes leakproof rigid plastic liner. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. ADA Compliant. 30-gal. capacity. 20 dia. x 25.5h. Shpg. wt. 50-lbs. ♻️

No.	Finish	Each
RCP R2030EPLBK	Black Powder Coated	
RCP R2030SSPL	Satin Stainless Steel	



Rubbermaid® Commercial Products

A. Silhouette Square Recycling Receptacles

Durable, fire safe steel powder coated will not melt or burn. Sleek design creates an upscale look. Handsfree disposal openings for hygiene. Leak-proof, rigid plastic liner included. Factory applied recycling labels. Minimum 30% post-consumer recycled material, helps to earn LEED points and contributes to sustainability. 29-gallon capacity. 18½" Sq. x 32¾"H. Silver Metallic. ♻️

No.	Description	Each
RCP DCR24CSM	Cans	
RCP DCR24PSM	Paper	
RCP DCR24TSM	Trash	



B. Side Opening Fire-Safe Steel Receptacle

Heavy-gauge steel construction. Large 11w x 5h vinyl-trimmed disposal opening. Lift-off body facilitates easy emptying. Noncorrosive base ring prevents scratching of floors. Includes fire-safe galvanized steel liner. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Satin Stainless Steel. 12-gal. capacity. 15 dia. x 28h. Shpg. wt. 24-lbs. ♻️

No.	Description	Each
RCP SO16SSSGL		



Provides sanitary waste disposal in hospitals, nursing homes, restrooms and medical offices.

C. Steel Step Can

Meets OSHA and OBRA requirements. Fire-, rust- and rodent-resistant. Includes rigid plastic liner. Tight-fitting lid maximizes odor control, operates quietly. Self-closing. New steel hinge doubles as a carrying handle. Plastic base protects floor, reduces noise. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. 3½-gallon capacity. 11 dia. x 16h. Shpg. wt. 6-lbs. ♻️

No.	Color	Each
RCP MST35EWE	Powder Coated/White	
RCP MST35SSPL	Stainless Steel	



D. Defenders® Heavy-Duty Step Can for Infectious Waste

Meets OSHA/OBRA, NFPA Life Safety Code requirements. UL/CSFM Listed fire-safe/self-extinguishing; FM Approved. Convenient foot pedal operation; nonskid legs. Self-closing piano hinge lid controls odors; "flip back" restraint prevents wall damage. Leakproof rigid plastic liner; poly bag retainer bands. White powder coated finish. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. ♻️


No.	Size	Shpg. Wt.	Each
RCP ST12EPLWH	12 gal./12 sq. x 23h	22-lbs.	
RCP ST24EPLWH	24 gal./15 sq. x 30h	35-lbs.	

Jaguar Plastics™

E. Low-Density Repro Can Liners, Black

Flat bottom construction holds up to 30% more than star bottom bags. Meets government Comprehensive Procurement Guidelines for recycled liners—80+% recycled content, 10% post-consumer resin. Individually folded bags dispense one-at-a-time for ease of use and portion control. Contains no heavy-metal additives. ♻️

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
Super-Heavy Grade					
JAG R3339H	31-33	33 x 39	1.5	150	
JAG R4046H	40-45	40 x 46	1.5	100	
JAG R4347H	56	43 x 47	1.5	100	
JAG R3858H	55-56	38 x 58	1.5	100	
Super/Extra Heavy Grade —Suitable for the toughest trash applications.					
JAG R3339HH	31-33	33 x 39	2.0	150	
JAG R4046HH	40-45	40 x 46	2.0	100	
JAG R4347HH	56	43 x 47	2.0	100	
JAG R3858HH	55-60	38 x 58	2.0	100	



Flex Sol Packaging Corp.

F. Linear Low-Density Economy Ecosac, Black

Tri-Extruded can liner with a center layer of over 70% recycled material. Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting. This product is 100% recyclable and packed in an environment friendly box made with 100% recycled board. ♻️

No.	Gal. Cap.	Size	Mil Gauge	Case Qty.	Case
XX-Heavy Grade					
ESS ECO48H	40-45	40 x 48	1.0	100	
ESS ECO60H	55	38 x 60	1.0	100	
Super-Heavy Grade					
ESS ECO40XH	33	33 x 39	1.5	150	
ESS ECO48XH	40-45	40 x 48	1.5	100	
ESS ECO47XH	56	43 x 48	1.5	100	
ESS ECO60XH	55	38 x 60	1.5	100	
Super/Extra-Heavy Grade					
ESS ECO60SXH	55	38 x 60	2.0	50	

See page 3 for symbol legend.
Call for current pricing.